

Programmable Controllers Certified for Canada

COMPANY

SCHNEIDER ELECTRIC FRANCE, DBA Industrial Automation

35 rue Joseph Monier
Rueil Malmaison, 92500 France

E486184

Trademark and/or Tradename: **Schneider**
Electric

Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

Model(s): TSX-AXT#, TSX-CTM#, TSX-DEM, TSX-RKD7, TSX-RKD8, TSX-RKD8FEW11, TSX-RKN52, TSX-RKN8, TSX-RKN82W11, TSX-RKN8W11, TSX-RKS51, TSX-RKS8, TSX-RKS8W11, TSX-SCM

Model(s): TSX-LES followed by two suffix numbers or letters.

Model(s): TSX-LFS followed by two suffix numbers or letters.

AC Discrete Input Modules, "TSX Advantys Series", Model(s): STBDAl5230\$, STBDAl5260\$, STBDAl7220\$

AC Discrete Output Modules, "TSX Advantys Series", Model(s): STBDAO5260\$, STBDAO8210\$

Accessory Open type Ethernet Switches, Model(s): TCESEL043F23F0

Accessory Open type Rail Switch, Model(s): MCSEAM0100

Accessory Rail Switch open type:, Model(s): 499NCA20000

Analog I/O Modules, "TSX Advantys Series", Model(s): STBACI0320\$, STBACI1225\$, STBACI1230\$, STBACI1400\$, STBACI8320\$, STBACO0120\$, STBACO0220\$, STBACO1210\$, STBACO1225\$, STBACO8220\$, STBART0200\$, STBAVI0300\$, STBAVI1225\$, STBAVI1270\$, STBAVI1275\$, STBAVI1400\$, STBAVO0200\$, STBAVO1250\$, STBAVO1255\$, STBAVO1265\$

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAI 030 00 consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAI 140 00 consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAI 520 40 consisting of the following, with or without the suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ACI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ACI04000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ARI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ARI03010 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ATI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140AVI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140SAI94000S All model numbers may be followed by Suffix C.

Analog Input Modules, "System TIO", Model(s): 170 BAO 126 00

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ANR 120 90 consisting of the following, with or without the suffix C.

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ANR 120 91 consisting of the following, with or without the suffix C.

Analog Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140AMM09000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAO 120 00 consisting of the following, with or without the suffix C.

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAO 921 00 consisting of the following, with or without the suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO13000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140AVO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "System TIO", Model(s): 170 BAI 036 00, 170 BAI 036 01

Auxiliary Power Supply Modules, "TSX Advantys Series", Model(s): STBCPS2111\$

Backplanes, "Modicon Quantum", Model(s): 140XBP00200 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00300 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00400 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00600 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01000 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01600 All model numbers may be followed by Suffix C.

Cable Assemblies, "Modicon Quantum", Model(s): 140XTSx, where x is a 5 (five) digits extension, the 2 last digits being representative of cable length.

CableFast, "Modicon Quantum", Model(s): 140CE, followed by a letter (A to K), followed by 004, 008, 016, 032, 040 followed by 00.

CanBus Extension Modules, "TSX Advantys Series", Model(s): STBXBE1000\$, STBXBE1100\$, STBXBE1200\$, STBXBE1300\$, STBXBE2100\$

Comm. Module, "Adaptable TIO Series", Model(s): 170 LNT 810 00

Communication Cables, "Modicon Quantum", Model(s): 490 NAA, followed by 27, followed by 1, followed by 0, followed by 0, 1, 2, 3, 4 or 6.

Communication Module-PROFIBUS TAP, "Modicon Quantum", Model(s): 490NAE91100 All model numbers may be followed by Suffix C.

Communication modules, "Modicon M340 and M580", Model(s): BMECRA followed by 31210 or 31210C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMECRA followed by 31310 or 31310H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMECRD followed by 0100 or 0100C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOC followed by 0301, 0301C, 0311, 0311C, 0321, 0321C, 0302 or 0302H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOP followed by 0300 or 0300C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOR followed by 2200 or 2200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOS followed by 0300 or 0300C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENUA followed by 0100 or 0100H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXCRA followed by 31200, 31210 or 31210C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXEIA followed by 0100, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNGD followed by 0100 or 0100H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOC followed by 0401, 0402, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOE followed by 0100, 0100H, 0110 or 0110H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOM followed by 0200 or 0200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOR followed by 0200 or 0200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNRP followed by 0200, 0200C, 0201 or 0201C, may be followed by suffix NUC

Communication Modules, "Modicon Quantum", Model(s): 140CHS11000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21110 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21120 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21210 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21220 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA31200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA31908 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA31908C All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA93100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA93101 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA93200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA93201 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRP31200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRP81100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRP93100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRP93200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140DCF07700 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140EIA92100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140ESI06200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140ESI06210 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOA61100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOA61110 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOC77100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOC78000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOC78100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOE77100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOE77101 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOE77110 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOE77111 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOM21100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOM21200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOM25200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOP85000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOP91100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP31200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP31201 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP95400 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP95401 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NWM10000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140XBE01000 All model numbers may be followed by Suffix C.

Communication Taps, "Modicon Quantum", Model(s): 990 NAD, followed by 23, followed by 0, followed by 1 or 2, followed by 0, 1, 2 or 3.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65150 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65160, may be followed by S. All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65260 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65860 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67060 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67160, may be followed by S. All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67260 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67261 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67861 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43412U, 140CPU53414, 140CPU53414A, 140CPU53414B, 140CPU53414U

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11302 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11303 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11304 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU21303 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU21304 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU31110 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU42402 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43302 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43412A All model numbers may be followed by Suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 78090 consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 98090 consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 98091 consisting of the following, with or without the suffix C.

DC Discrete Input Modules, "TSX Advantys Series", Model(s): STBDDI3230\$, STBDDI3420\$, STBDDI3425\$, STBDDI3610\$, STBDDI3615\$, STBDDI3725\$

DC Discrete Output Modules, "TSX Advantys Series", Model(s): STBDDO3200\$, STBDDO3230\$, STBDDO3410\$, STBDDO3415\$, STBDDO3600\$, STBDDO3605\$, STBDDO3705\$

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMEAHI followed by 0812 or 0812H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMEAHO followed by 0412 or 0412C, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMI followed by 0410, 0410H, 0800, 0810H or 0810, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMM followed by 0600 or 0600H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMO followed by 0210, 0210H, 0410, 0410H, 0802 or 0802H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXART followed by 0414, 0414H, 0814 or 0814H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDAI followed by 1602, 1602H, 0805, 0814, 1603, 1603H, 1604, 1604H, 1614, 1614H, 1615, 1615H or 16142, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDAO followed by 1605, 1605H, 1615 or 1615H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDI followed by 1602, 1602H, 1603, 1603H, 3202K, 3202KH, 6402K, 6402KH, 1604T, 3232, 3232H, 3203 or 3203H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDM followed by 16022, 16022H, 3202K, 16025 or 16025H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDO followed by 1602, 1602H, 1612, 1612H, 3202K, 3202KC, 6402K, 6402KC, 3202 or 3202H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDRA followed by 0804T, 0805, 0805H, 0815, 0815H, 1605 or 1605H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDRC followed by 0805 or 0805H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSAI followed by 0410, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSDI followed by 1602, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSDO followed by 0802, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSRA followed by 0405, may be followed by suffix NUC

Digital input modules, Model(s): 140DAI34000

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 340 00 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 350 00 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 540 50 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 740 50 consisting of the following, with or without the suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI34000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI44000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI45300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI55300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI74000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI75300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI15310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI36400 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI67300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI84100 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI85300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DSI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140SDI95300S All model numbers may be followed by Suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 11 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 15 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 370 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 30 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 31 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 540 80 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 690 50 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 690 51 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 850 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AMM 090 00 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AMM 090 01 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ARM 370 30 consisting of the following, with or without the suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DAM59000 All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DDM39000 All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DDM69000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 340 00 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 350 00 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 530 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 540 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 730 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 740 50 consisting of the following, with or without the suffix C.

Digital Output Modules, Model(s): 170 BDO 356 00, 170 BDO 946 50

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84010 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84210 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84220 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO85300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO15310 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO35300](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO35301](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO35310](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO36400](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO84300](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DDO88500](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DRA84000](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DRC83000](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140DVO85300](#) All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): [140SDO95300S](#) All model numbers may be followed by Suffix C.

Enclosed type, programmable controller, industrial wireless LAN access point device, Model(s): [TCSGWA272](#), [TCSNWA271](#), [TCSNWA271F](#)

Ethernet switches, Model(s): [TCSESU051F0](#)

Extended Temperature Modules, "Modicon M340", Model(s): [BMX-CPS3540T](#), [BMX-DDI1604T](#), [BMX-DRA0804T](#), [BMX-ERT1604T](#)

High Speed Counter Modules, "TSX Advantys Series", Model(s): [STBEHC3020\\$](#)

High Speed Counters, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 AEC 920 00](#) consisting of the following, with or without the suffix C.

HIMatrix F60 Series afe analog output cards, Model(s): [XPSMFAO801](#)

HIMatrix F60 Series digital (24) input units, Model(s): [XPSMFDI2401](#)

HIMatrix F60 Series digital (32) input units, Model(s): [XPSMFDI3201](#)

HIMatrix F60 Series housing with bus (6 E/A places), Model(s): [XPSMFGEH01](#)

HIMatrix F60 Series power supplies, Model(s): [XPSMFPS01](#)

HIMatrix F60 Series relay output units, Model(s): [XPSMFDO801](#)

HIMatrix F60 Series safe analog input cards, Model(s): [XPSMFAI801](#)

HIMatrix F60 Series safe counter modules, Model(s): [XPSMFCIO2401](#)

HIMatrix F60 Series safe digital I/O modules, Model(s): [XPSMFDIO241601](#)

I/O Base Modules, "TSX Advantys Series", Model(s): [STBXBA1000\\$](#), [STBXBA2000\\$](#), [STBXBA2100\\$](#), [STBXBA2200\\$](#), [STBXBA2300\\$](#), [STBXBA2400\\$](#), [STBXBA3000\\$](#)

I/O Modules, Model(s): [170 BAM 096 00](#), [170 BAM 096 01](#), [170 BDM 344 00](#), [170 BDM 344 01](#), [170 BDM 346 30](#)

Industrial Ethernet Rail Switch Open Type, Model(s): [MCSESU053F1CU0](#), [MCSESU053FN0](#), [MCSESU083F2CS0](#), [MCSESU083F2CU0](#), [MCSESU083FN0](#), [TCSESPU053F1CS0](#), [TCSESPU053F1CU0](#), [TCSESPU083FN0](#), [TCSESPU093F2CS0](#), [TCSESPU093F2CU0](#), [TCSESSU083FN0](#)

Industrial Ethernet Switch, Model(s): [TCSESB083F2CS0M \(SM\)](#), [TCSESB083F2CU0M \(MM\)](#)

Input Modules, Model(s): [170 BDI 344 00](#), [170 BDI 344 01](#), [170 BDI 346 00](#), [170 BDI 354 00](#), [170 BDI 354 01](#), [170 BDI 356 00](#), [170 BDI 546 50](#), [170 BDI 746 50](#)

Input/Output Module, "System TIO", Model(s): 170 BDM 346 02, 170 BDM 379 00, 170 QPR 330 00, 170 QPR 346 00, 170 QPR 346 10, 170 QPR 346 20, 170 QPR 346 21

Interface Modules, Model(s): 170 BNO 681 00, 173CHT26010, 173CHT76010

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 BNO 67100 consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 FNT 11000 consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 FNT 11001 consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO Series", Model(s): 170 DNT 110 00, 170 INT 110 00, 170 INT 110 01, 170 INT 110 03, 170 INT 120 00

Modicon M340 and M580 Digital and analog I/O modules, Model(s): BMX-DAI followed by 1614, 1614H, 1615, or 1615H

Momentum Series Special Modules, Model(s): ISP00100 (with serial communication display port)

Momentum Series Special Modules, Model(s): ISP00101 (without serial communication display port)

Network Interfaces Modules, "TSX Advantys Series", Model(s): STBNCO1010 (h), STBNCO1113 (h), STBNCO2212 (h), STBNDN1010 (h), STBNDN2212 (h), STBNDP1010 (h), STBNDP2212 (h), STBNFP2212 (h), STBNIB1010 (h), STBNIC2212 (h), STBNIP1010 (h), STBNIP2212 (h), STBNIP2311 (h), STBNMP2212 (h)

Open type, programmable controller, Industrial Ethernet switch, Model(s): TCSESB083F23F0, TCSESB083F2CU0, TCSESB093F2CU0

Open type, programmable controller, Industrial wireless LAN access point device, Model(s): TCSGWA242, TCSGWA242E, TCSGWC241, TCSNWA241, TCSNWA241F

Open type, programmable controllers, Model(s): TCSESU083FN0

Open type, Programmable controllers, Model(s): BME CXM 0100, BME CXM 0100H, BME PXM 0100, BME PXM 0100H, MCSESR043F23F0, MCSESR043F23F0C, MCSESR043F2LM0, MCSESR043F2LM0C, Modicon M340 and M580, TCSEFEA23F3F22, TCSEFEC23F3F21, TCSEFEC23FCF21

Open type, Programmable controllers, "Modicon MC80", Model(s): BMKC8020300, BMKC8020301, BMKC8030311

Output Modules, "System TIO", Model(s): 170 BDO 354 00

Power Distribution Modules, "TSX Advantys Series", Model(s): STBPDT2100\$, STBPDT2105\$, STBPDT3100\$, STBPDT3105\$

Power supply modules, "Modicon M340 and M580", Model(s): BMXCPS followed by 2000, 3500, 3500H, 3540T, 2010, 3020, 3020H, may be followed by suffix NUC

Power supply modules, "Modicon M340 and M580", Model(s): BMXCPS followed by 4002, 4002H, 4002S, 4022, 4022H, 4022S, 3522, 3522H or 3522S, may be followed by suffix NUC

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11100 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11410 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11420 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS12400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS12420 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS21100 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS21400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS22400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS41400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS42400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS51100](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS52400](#) All model numbers may be followed by Suffix C.

Power Supply, "System TIO", Model(s): [170 CPS 111 00](#)

Processor modules, "Modicon M340 and M580", Model(s): [BMED58](#) followed by 1020 or 1020C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMEH58](#) followed by 2040S, 4040S or 6040S, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMEH58](#) followed by [2040](#), 2040C, 4040, 4040C, 6040, 6040C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMEH58](#) followed by [2040K](#) or 4040K (bundle), may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMED58](#) followed by 1020, 1020H, 2020, 2020H, 2040, 2040H, 2040S, 3020, 3040, 4020, 4040, 4040S, 5040, 5040C, 6040, 6040C or 6040S, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMED58CPRS3](#) may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMED58](#) followed by 1020 or 1020C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): [BMXP34](#) followed by 1000, 1000H, 2000, 2010, 2020, 2020H, 2030, 20102, 20102CL, 20302, 20302CL, 20302H or 20ITRB, may be followed by suffix NUC

Profibus remote masters, open type, Model(s): [TCSEGPA23F14F](#), [TCSEGPA23F14FK](#)

Programmable Controller, Model(s): [140CRP31200](#), [140CRP31200C](#), [140NOC77101](#), [140NOC77101C](#), [140NOC78000](#), [140NOC78000C](#), [140NOC78100](#), [140NOC78100C](#), [BMXNOC0401](#), [BMXNOC0401C](#), [BMXNOC0401H](#), [BMXNOC0402](#), [BMXNOC0402C](#), [BMXNOC0402H](#), [TSXETC100](#), [TSXETC101](#)

Programmable controller, Open type, firewall modules, Model(s): [TCSEFEC23F3F20](#), [TCSEFEC23FCF20](#), [TCSEFEC2CF3F20](#)

Programmable Controller-Accessories, "TSX Advantys Series", Model(s): [STBXTS5510](#) Telefast Twido Input\$, [STBXTS5610](#) Telefast Twido Output\$, [STBXTS5660](#) Telefast Output\$, [STBXTS6510](#) Telefast Input\$.

Programmable controllers, Model(s): [TCSEFEA23F3F20](#), [TCSEFEA23F3F21](#), [TCSESM043F1CS0](#), [TCSESM043F1CU0](#), [TCSESM043F2F0](#), [TCSESM043F2CS0](#), [TCSESM043F2CU0](#), [TCSESM063F2CS1](#), [TCSESM063F2CU1](#), [TCSESM083F1CS0](#), [TCSESM083F1CU0](#), [TCSESM083F2F0](#), [TCSESM083F2F1](#), [TCSESM083F2CS0](#), [TCSESM083F2CU0](#), [TCSESM083F2CX0](#), [TCSESM103F2G0](#), [TCSESM103F2LG0](#), [TCSESM163F2F0](#), [TCSESM163F2CS0](#), [TCSESM163F2CU0](#), [TCSESM243F2CU0](#)

Programmable Controllers, Model(s): [MCSESM043F2F0](#), [MCSESM053F1CS0](#), [MCSESM053F1CU0](#), [MCSESM063F2CS0](#), [MCSESM063F2CU0](#), [MCSESM083F2F0](#), [MCSESM083F2F0H](#), [MCSESM083F2F1](#), [MCSESM083F2F1H](#), [MCSESM093F1CS0](#), [MCSESM093F1CU0](#), [MCSESM103F2CS0](#), [MCSESM103F2CS0H](#), [MCSESM103F2CS1](#), [MCSESM103F2CS1H](#), [MCSESM103F2CU0](#), [MCSESM103F2CU0H](#), [MCSESM103F2CU1](#), [MCSESM103F2CU1H](#), [MCSESM123F2G0](#), [MCSESM123F2LG0](#), [MCSESM163F2F0](#), [MCSESM203F4LG0](#), [MCSESM243F4LG0](#), [MCSESP083F2G0](#), [MCSESP083F2G0T](#), [XPSMFCPU22](#)

Programmable Controllers, "Modicon Edge I/O NTS System", Model(s): [NTSACI0802X\(K\)](#), [NTSACI0802XH\(K\)](#), [NTSAHI0412XH\(K\)](#), [NTSAHQ0212H\(K\)](#), [NTSAMI0210\(K\)](#), [NTSAMI0210H\(K\)](#), [NTSAMI0400\(K\)](#), [NTSAMI0800\(K\)](#), [NTSAMI0600\(K\)](#), [NTSAMI0210\(K\)](#), [NTSAMI0210H\(K\)](#), [NTSAMI0400\(K\)](#), [NTSAMI0400H\(K\)](#), [NTSART0214\(K\)](#), [NTSART0214H\(K\)](#), [NTSART0404\(K\)](#), [NTSART0603\(K\)](#), [NTSDDI0602\(K\)](#), [NTSDDI0802X\(K\)](#), [NTSDDI1602\(K\)](#), [NTSDDI1602X\(K\)](#), [NTSDDI1602XH\(K\)](#), [NTSDDI1642\(K\)](#), [NTSDDO0212H\(K\)](#), [NTSDDO0402\(K\)](#), [NTSDDO0402H\(K\)](#), [NTSDDO0802\(K\)](#), [NTSDDO0802X\(K\)](#), [NTSDDO1602\(K\)](#), [NTSDDO1602X\(K\)](#), [NTSDDO1602XA\(K\)](#), [NTSDDO1602XAH\(K\)](#), [NTSDDO1602XH\(K\)](#), [NTSDMY0100H\(K\)](#), [NTSDMY0200H\(K\)](#), [NTSDRA0615\(K\)](#),

NTSEHC0100(K), NTSEHC0120H(K), NTSEHC0220(K), NTSFIO0400(K), NTSFMB0120(K), NTSFMB0120H(K), NTSNEC1200(K), NTSNEC1200H(K), NTSPCM0016H(K), NTSPCM0808H(K), NTSPCM1600H(K), NTSPFB1002H(K), NTSPFD1002H(K), NTSXBA0100H, NTSXBA0103H, NTSXBA0104H, NTSXBA0200H, NTSXBA0201H, NTSXBA0213H, NTSXBA0214H, NTSXBA0301H, NTSXMP0000H(K),
Programmable Controllers, "Modicon M340 and M580", Model(s): BMEH5680402NUC, BMEH5860401NUC

Programmable Controllers, "Modicon M340 and M580", Model(s): TSXCAN followed by CA, CADD, CB, CBDD, CD or TDM, followed by 1, 2 or 3 digit number

Programmable Controllers, "Modicon M340 and M580", Model(s): TSXCAN, followed by KCDF followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon M340, M580, Digital and analog I/O modules", Model(s): BMXDRC followed by 0805 or 0805H followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon Quantum", Model(s): 140XSM01000, 140XTS00100, 140XTS00200, 140XTS33200, 467NHP91151

Programmable Controllers, "Modicon Quantum", Model(s): 140CPS52420 All model numbers may be followed by Suffix C.

Programmable controllers, open type, Model(s): 499NMS25101, 499NMS25102, 499NSS25101, 499NSS25102, TCSESU103F2CS0, TCSESU103F2CU0

Programmable controllers, Open type, Rugged Ethernet DIN Rail Switches, Model(s): TCSESM063F2CS1C, TCSESM063F2CU1C, TCSESM083F23F1C

Programmable logic controllers, Model(s): TCSESU033FN0, TCSESU043F1N0, TCSESU053FN0

Programming terminals, Model(s): TSX-T607

Protective Covers (Empty Modules), "Modicon Quantum", Model(s): 140 XCP, followed by 500 or 510, followed by 00.

Racks, "Modicon M340 and M580", Model(s): BMEXBP followed by 0602, 0602H, 1002 or 1002H, may be followed by suffix NUC

Racks, "Modicon M340 and M580", Model(s): BMEXBP followed by 0400, 0400H, 0800, 0800H, 1200 or 1200H, may be followed by suffix NUC

Racks, "Modicon M340 and M580", Model(s): BMXXBP followed by 0400, 0400H, 0600, 0600H, 0800, 0800H, 1200 or 1200H, may be followed by suffix NUC

Rapid counting and positioning cards, Model(s): TSX-AXM#

Relay Output Modules, "TSX Advantys Series", Model(s): STBDRA3290\$, STBDRC3210\$

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-AHI 0812H, BME-XBP 0400H, BME-XBP 0602H, BME-XBP 0800H, BME-XBP 1002H, BME-XBP 1200H, BMX-AMI0410H, BMX-AMI0810H, BMX-AMM0600H, BMX-AMO0210H, BMX-AMO0410H, BMX-ART0414H, BMX-ART0814H, BMX-CPS 4002H, BMX-CPS3020H, BMX-CPS3500H, BMX-DAI 0802H, BMX-DAI 0803H, BMX-DAI 0804H, BMX-DAI 0814H, BMX-DAI 1602H, BMX-DAI 1603H, BMX-DAI 1604H, BMX-DAI 1614H, BMX-DAO1605H, BMX-DDI1602H, BMX-DDI1603H, BMX-DDM16022H, BMX-DDM16025H, BMX-DDO1602H, BMX-DDO1612H, BMX-DRA0805H, BMX-DRA1605H, BMX-EAE 0300H, BMX-EHC0200H, BMX-EHC0800H, BMX-ETM 0200H, BMX-NGD 0100H, BMX-NOE0100H, BMX-NOE0110H, BMX-NOM0200H, BMX-NOR0200H, BMX-P341000H, BMX-P342020H, BMX-P3420302H, BMX-XBE1000H, BMX-XBP0400H, BMX-XBP0600H, BMX-XBP0800H, BMX-XBP1200H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-P58 followed by 10 or 20, followed by 20 or 40, followed by H.

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI3202 may be followed by K, followed by H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI6402 may be followed by K, followed by H

Special modules, "Modicon M340 and M580", Model(s): BMXEAE followed by 0300 or 0300H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXEHC followed by 0200, 0200H, 0800 or 0800H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXERT followed by 1604T or 1604H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXETM followed by 0200 or 0200H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXMSP followed by 0200, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXPRA followed by 0100 or 0100H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXXBE followed by 1000, 1000H or 2005, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): PMXCDA followed by 0000, may be followed by suffix NUC

Specialty Modules, "TSX Advantys Series", Model(s): STBAHI8321\$

Specialty Modules, "TSX Advantys Series", Model(s): STBEPI1145\$, STBEPI2145\$

Specific Modules, "Modicon Quantum", Model(s): 140EHC10500 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140EHC20200 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140HLI34000 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42500 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42501 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42502 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS52502 All model numbers may be followed by Suffix C.

Specific Modules-Battery Module, "Modicon Quantum", Model(s): 140XCP90000 All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): 140MSB10100 All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): 140MSC10100 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85410 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85410Z All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85420 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85430 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): 140TPFT10 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): TPXF1250 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): TPXF78 All model numbers may be followed by Suffix C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-NOC0321 may be followed by C., BME-NOS followed by 0300 or 0300C, BME-P58 1020, BME-P58 1040, BME-P58 2020, BME-P58 2040, BME-P58 3020, BME-P58 3040, BME-P58 4020, BME-P58 4040, BME-P58 5040 may be followed by C, BME-P58 6040 may be followed by C, BMEPTKMK followed digit numbers, BMX-AMI0400, BMX-AMI0410, BMX-AMI0800, BMX-AMI0810, BMX-AMM0600, BMX-AMO0202, BMX-AMO0210, BMX-AMO0402, BMX-AMO0410, BMX-AMO0802, BMX-AMO0810, BMX-ART0414, BMX-ART0814, BMX-CPS 4002, BMX-CPS2000, BMX-CPS2010, BMX-CPS3020, BMX-CPS3500, BMX-DAO1605K, BMX-DRA0805, BMX-DRA1605, BMX-EAE0300, BMX-EHC0200, BMX-EIA0100, BMX-ETM 0200, BMX-FTA, followed by a 3 digit number., BMX-FTB, followed a 4 digit number., BMX-MSP0200, BMX-NGD 0100, BMX-NOE0100, BMX-NOE0110, BMX-NOM0200, BMX-NOR0200, BMX-PRA0100, BMX-XBC, followed digit numbers., BMX-XSP, followed a 4 digit number., BMX-XTS HSC followed a 2 digit number, PMX-CDA0000, TCS-CCN, followed digit numbers., TCS-MCN, followed digit numbers., TCS-XCN, followed digit numbers.

Standard Modules, "Modicon M340 and M580 Series", Model(s): ABEZ followed by CPA, followed by 2 or 3 digit number

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-AHI followed by 08, followed by 12, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-AHO followed by 04, followed by 12, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-CRA followed by 31, followed by 210, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-H58 followed by 20, 40 or 60, followed by 40, may be followed by C or K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-NOC followed by 03, followed by 01 or 11, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP followed by 04, 08, or 12, followed by 00.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP, followed by 06 or 10, followed by 02.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-CRA followed by 31200, 31210 may be followed by C

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DAI 08 followed by 02, 03, 04, 05 or 14

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI followed by 16, 32 or 64, followed by 02 or 03, may be followed by K or C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDM followed by 16 or 32, followed by 02, 022 or 025, may be followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDQ followed by 16, 32 or 64, followed by 02 or 12, may be followed by K, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FC followed by A, C or W, followed a 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FT followed by W, followed by 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FTW followed a 3 or 4 digit number, may be followed by S

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-NOC followed by 04, followed by 01 or 02, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-NRP followed by 0200, 0200C, 0201 or 0201C

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-P followed by AM or DM, followed by 48, 64 or 82, followed by 000, 100 or 200.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-P34 followed by a 4 or 5 digits number, may be followed by ITRB may be followed by CL.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-RMS followed by a 1 or 3 digit number, followed by M or G, may be followed by P or PF or ITRB

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-RWS followed by B, C or FO, followed by a 3 digit number, followed by M.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBC followed by a 4 digit number, followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBE followed by 10 or 20, followed by 00 or 05.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBP followed by a 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XCA followed by USB, followed by H, followed a 3 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XTS followed by CPS, followed a 2 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): NCA, followed by 82 or 84, followed by 000.

Supply Module, "System TIO", Model(s): 470 IPS 258 00

System Momentum Communication CPU Modules, Model(s): CCC 76010 (e), CCC 78010 (e), CCC 78010K (e), CCC 96020 (e), CCC 96030 (e), CCC 96091 (e), CCC 98010 (e), CCC 98020 (e), CCC 98030 (e), CCC 98091 (e), CCS 70000 (e), CCS 70010 (e), CCS 76000 (e), CCS 78000 (e).

System Momentum Communication Modules, Model(s): 170ENT 11002, ENT 11000, ENT 11001, INT 11003, JNN 21032 Ring Adapter, LNT 7100, NEF 11021, NEF 16021, PNN 21022 Ring Adapter MB+, PNN 26022 Ring Adapter MB+ Dual, PNT 11020 MB+, PNT 16020 MB+ Dual

Timer Module, "Adaptable TIO Series", Model(s): 470 GPS 001 00

- May be followed by any one to three letter(s) and/or number(s).

\$ - May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).

\$ - May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).

% - May be followed by C.

(#) - x may be any alphanumeric character,_, or blank. & may be A or D. model may be followed by 16 alphanumeric character,? ? ?, or blank

(#) - x may be any alphanumeric character,_, or blank, & may be A or D, model may be followed by 16 alphanumeric character, or blank

(#) - x may be any alphanumeric character,_, or blank; & may be A or D; model may be followed by 16 alphanumeric character,¿ ¿ ¿, or blank

(&) - Where x may be any alphanumeric characters

(e) - May be followed by C.

(h) - May be followed by K, KS or KC.

* - May be followed by S.

@ - May be followed by numbers and/or letters.

+ - Where x may be any alphanumeric character.

xx - Where xx can be replaced by any alphanumeric character.

Last Updated on 31/03/2025 09:50:17

UL autorise la reproduction des documents contenus dans le répertoire de certifications en ligne, aux conditions suivantes : 1. Les (fichiers de) certifications, informations des guidages, assemblages, constructions, dessins et/ou systèmes doivent être présentés dans leur totalité et de manière non trompeuse, sans aucune manipulation des données (ou de dessins). 2. La mention « Réimprimé depuis le répertoire des certifications en ligne avec la permission d'UL » doit être apposée près du matériau extrait. En outre, le document réimprimé doit comporter une déclaration relative aux droits d'auteur au format suivant : "©2025 UL LLC."