


Programmable Controllers

COMPANY

SCHNEIDER ELECTRIC FRANCE, DBA Industrial Automation

35 rue Joseph Monier
Rueil Malmaison, 92500 France

E486184

Trademark and/or Tradename: 

Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

AC Discrete Input Modules, "TSX Advantys Series", Model(s): [STBDAI5230\\$](#), [STBDAI5260\\$](#), [STBDAI7220\\$](#)

AC Discrete Output Modules, "TSX Advantys Series", Model(s): [STBDAO5260\\$](#), [STBDAO8210\\$](#)

Accessory Open type Ethernet Switches, Model(s): [TCSESL043F23F0](#)

Accessory Open type Rail Switch, Model(s): [MCSEAM0100](#)

Accessory Rail Switch open type:, Model(s): [499NCA20000](#)

Analog 4 Inputs and 2 Outputs Cards, Half Size, Model(s): [TSX-AMZ600](#)

Analog I/O Modules, "TSX Advantys Series", Model(s): [STBACI0320\\$](#), [STBACI1225\\$](#), [STBACI1230\\$](#), [STBACI1400\\$](#), [STBACI8320\\$](#), [STBACO0120\\$](#), [STBACO0220\\$](#), [STBACO1210\\$](#), [STBACO1225\\$](#), [STBACO8220\\$](#), [STBART0200\\$](#), [STBAVI0300\\$](#), [STBAVI1225\\$](#), [STBAVI1270\\$](#), [STBAVI1275\\$](#), [STBAVI1400\\$](#), [STBAVO0200\\$](#), [STBAVO1250\\$](#), [STBAVO1255\\$](#), [STBAVO1265\\$](#)

Analog Input Cards, Model(s): [TSX-ADT#](#), [TSX-AEM#](#)

Analog Input Cards, Half Size, Model(s): [TSX-AEZ414](#), [TSX-AEZ801](#), [TSX-AEZ802](#), [TSX-CTZ22A](#)

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 AAI 030 00](#) consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 AAI 140 00](#) consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 AAI 520 40](#) consisting of the following, with or without the suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140ACI03000](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140ACI04000](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140ARI03000](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140ARI03010](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140ATI03000](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): [140AVI03000](#) All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140SAI94000S All model numbers may be followed by Suffix C.

Analog Input Modules, "System TIO", Model(s): 170 BAO 126 00

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ANR 120 90 consisting of the following, with or without the suffix C.

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ANR 120 91 consisting of the following, with or without the suffix C.

Analog Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140AMM09000 All model numbers may be followed by Suffix C.

Analog Output Cards, Model(s): TSX-ASR#, TSX-AST#

Analog Output Cards, Half Size, Model(s): TSX-ASZ200, TSX-ASZ401

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAO 120 00 consisting of the following, with or without the suffix C.

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AAO 921 00 consisting of the following, with or without the suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO13000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140AVO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "System TIO", Model(s): 170 BAI 036 00, 170 BAI 036 01

AS-I Bus Master Modules, Model(s): TSX-SAZ10

Auxiliary Power Supply Modules, "TSX Advantys Series", Model(s): STBCPS2111\$

Backplanes, "Modicon Quantum", Model(s): 140XBP00200 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00300 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00400 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00600 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01000 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01600 All model numbers may be followed by Suffix C.

Cable Assemblies, "Modicon Quantum", Model(s): 140XTSx, where x is a 5 (five) digits extension, the 2 last digits being representative of cable length.

CableFast, "Modicon Quantum", Model(s): 140CE, followed by a letter (A to K), followed by 004, 008, 016, 032, 040 followed by 00.

CanBus Extension Modules, "TSX Advantys Series", Model(s): STBXBE1000\$, STBXBE1100\$, STBXBE1200\$, STBXBE1300\$, STBXBE2100\$

Central Processor Units, Model(s): TSX-P107, TSX-P47, TSX-P47-1, TSX-P67, TSX-P87

Comm. Module, "Adaptable TIO Series", Model(s): 170 LNT 810 00

Communication Cables, "Modicon Quantum", Model(s): 490 NAA, followed by 27, followed by 1, followed by 0, followed by 0, 1, 2, 3, 4 or 6.

Communication Module-PROFIBUS TAP, "Modicon Quantum", Model(s): 490NAE91100 All model numbers may be followed by Suffix C.

Communication modules, "Modicon M340 and M580", Model(s): BMECRA followed by 31210 or 31210C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMECRA followed by 31310 or 31310H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMECRD followed by 0100 or 0100C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOC followed by 0301, 0301C, 0311, 0311C, 0321, 0321C, 0302 or 0302H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOP followed by 0300 or 0300C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOR followed by 2200 or 2200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENOS followed by 0300 or 0300C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMENUA followed by 0100 or 0100H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXCRA followed by 31200, 31210 or 31210C, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXEIA followed by 0100, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNGD followed by 0100 or 0100H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOC followed by 0401, 0402, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOE followed by 0100, 0100H, 0110 or 0110H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOM followed by 0200 or 0200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNOR followed by 0200 or 0200H, may be followed by suffix NUC

Communication modules, "Modicon M340 and M580", Model(s): BMXNRP followed by 0200, 0200C, 0201 or 0201C, may be followed by suffix NUC

Communication Modules, "Modicon Quantum", Model(s): 140CHS11000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21110 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21120 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21210 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA21220 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA31200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CRA31908 All model numbers may be followed by Suffix C.

Communication Taps, "Modicon Quantum", Model(s): 990 NAD, followed by 23, followed by 0, followed by 1 or 2, followed by 0, 1, 2 or 3.

Communications Modules, Model(s): TBX LEP020, TBX LEP030, TSX SCP111, TSX SCP112, TSX SCP114

Connection Cables, Model(s): TSX-CAPH followed by numbers., TSX-CAPS followed by numbers., TSX-CDP followed by numbers., TSX-SCPCC followed by numbers., TSX-SCPCD followed by numbers., TSX-SCPCM followed by numbers., TSX-SCPCU followed by numbers., TSX-SCPCX followed by numbers.

counting modules, Model(s): TSX-CTZ1A, TSX-CTZ1B

Counting Modules, Model(s): TSX-CFZ1, TSX-CFZ2

Coupling Units, Model(s): TSX-STZ10

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65150 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65160, may be followed by S. All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65260 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU65860 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67060 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67160, may be followed by S. All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67260 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67261 All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): 140CPU67861 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43412U, 140CPU53414, 140CPU53414A, 140CPU53414B, 140CPU53414U

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11302 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11303 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU11304 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU21303 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU21304 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU31110 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU42402 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43302 All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): 140CPU43412A All model numbers may be followed by Suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 78090 consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 98090 consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): 171 CBU 98091 consisting of the following, with or without the suffix C.

DC Discrete Input Modules, "TSX Advantys Series", Model(s): STBDDI3230\$, STBDDI3420\$, STBDDI3425\$, STBDDI3610\$, STBDDI3615\$, STBDDI3725\$

DC Discrete Output Modules, "TSX Advantys Series", Model(s): STBDDO3200\$, STBDDO3230\$, STBDDO3410\$, STBDDO3415\$, STBDDO3600\$, STBDDO3605\$, STBDDO3705\$

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMEAHI followed by 0812 or 0812H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMEAHO followed by 0412 or 0412C, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMI followed by 0410, 0410H, 0800, 0810H or 0810, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMM followed by 0600 or 0600H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXAMO followed by 0210, 0210H, 0410, 0410H, 0802 or 0802H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXART followed by 0414, 0414H, 0814 or 0814H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDAI followed by 1602, 1602H, 0805, 0814, 1603, 1603H, 1604, 1604H, 1614, 1614H, 1615, 1615H or 16142, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDAO followed by 1605, 1605H, 1615 or 1615H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDI followed by 1602, 1602H, 1603, 1603H, 3202K, 3202KH, 6402K, 6402KH, 1604T, 3232, 3232H, 3203 or 3203H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDM followed by 16022, 16022H, 3202K, 16025 or 16025H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDDO followed by 1602, 1602H, 1612, 1612H, 3202K, 3202KC, 6402K, 6402KC, 3202 or 3202H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDRA followed by 0804T, 0805, 0805H, 0815, 0815H, 1605 or 1605H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXDRC followed by 0805 or 0805H, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSAI followed by 0410, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSDI followed by 1602, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSDO followed by 0802, may be followed by suffix NUC

Digital and analog I/O modules, "Modicon M340 and M580", Model(s): BMXSRA followed by 0405, may be followed by suffix NUC

Digital Input Cards, Model(s): TSX-DET-1604, TSX-DET-1612, TSX-DET-1613, TSX-DET-466, TSX-DET-802, TSX-DET-803, TSX-DET-805, TSX-DET-812, TSX-DET-813, TSX-DET-824

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 340 00 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 350 00 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 540 50 consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADI 740 50 consisting of the following, with or without the suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI34000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI44000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI45300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI55300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI74000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI75300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI15310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI36400 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI67300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI84100 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI85300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DSI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140SDI95300S All model numbers may be followed by Suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 11 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 350 15 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 370 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 30 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 390 31 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 540 80 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 690 50 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 690 51 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADM 850 10 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AMM 090 00 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 AMM 090 01 consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ARM 370 30 consisting of the following, with or without the suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DAM59000 All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DDM39000 All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): 140DDM69000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 340 00 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 350 00 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 530 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 540 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 730 50 consisting of the following, with or without the suffix C.

Digital Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 ADO 740 50 consisting of the following, with or without the suffix C.

Digital Output Cards, Model(s): TSX-DST-1604, TSX-DST-1612, TSX-DST-1635, TSX-DST-1682, TSX-DST-417, TSX-DST-804, TSX-DST-805, TSX-DST-817, TSX-DST-835, TSX-DST-882

Digital Output Modules, Model(s): 170 BDO 356 00, 170 BDO 946 50

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84010 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84210 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84220 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO85300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO15310 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO35300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO35301 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO35310 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO36400 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO84300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO88500 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DRA84000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DRC83000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DVO85300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140SDO95300S All model numbers may be followed by Suffix C.

Display and Control Terminals, Model(s): CCX 17 followed by 20 or 30, followed by F or L, may be followed by W or PS, may be prefixed by T.

Display and Control Terminals, Model(s): CCX 17 followed by 20 or 30 followed by F or L, followed by FP, may be prefixed by T.

Distributed Analog I/O Modules, Model(s): TBX AES400, TBX AMS620, TBX ASS200

Emergency Stop Security Modules, Model(s): TSX-DPZ10D2A

Enclosed type, programmable controller, industrial wireless LAN access point device, Model(s): TCSGWA272, TCSNWA271, TCSNWA271F

Ethernet switches, Model(s): TCSESU051F0

Expansion Interfaces, Model(s): TBX-CBS010

Expansion Units, Model(s): TSX DMF242A, TSX DMF342A, TSX DMF344A, TSX DMF401, TSX-RKZ02

Extended Temperature Modules, "Modicon M340", Model(s): BMX-CPS3540T, BMX-DDI1604T, BMX-DRA0804T, BMX-ERT1604T

Extension Blocks, Model(s): [TSX-DEF804](#), [TSX-DEF812](#), [TSX-DSF604](#), [TSX-DSF612](#), [TSX-DSF635](#)

Fast Input/Output Cards, Model(s): [TSX-DMR](#)

Hand Held Programmer, Model(s): [TSX-T317](#)

High Speed Counter Modules, "TSX Advantys Series", Model(s): [STBEHC3020\\$](#)

High Speed Counters, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 AEC 920 00](#) consisting of the following, with or without the suffix C.

HIMatrix F60 Series afe analog output cards, Model(s): [XPSMFAO801](#)

HIMatrix F60 Series digital (24) input units, Model(s): [XPSMFDI2401](#)

HIMatrix F60 Series digital (32) input units, Model(s): [XPSMFDI3201](#)

HIMatrix F60 Series housing with bus (6 E/A places), Model(s): [XPSMFGEH01](#)

HIMatrix F60 Series power supplies, Model(s): [XPSMFPS01](#)

HIMatrix F60 Series relay output units, Model(s): [XPSMFDO801](#)

HIMatrix F60 Series safe analog input cards, Model(s): [XPSMFAI801](#)

HIMatrix F60 Series safe counter modules, Model(s): [XPSMFCIO2401](#)

HIMatrix F60 Series safe digital I/O modules, Model(s): [XPSMFDIO241601](#)

I/O Base Modules, "TSX Advantys Series", Model(s): [STBXBA1000\\$](#), [STBXBA2000\\$](#), [STBXBA2100\\$](#), [STBXBA2200\\$](#), [STBXBA2300\\$](#), [STBXBA2400\\$](#), [STBXBA3000\\$](#)

I/O Modules, Model(s): [170 BAM 096 00](#), [170 BAM 096 01](#), [170 BDM 344 00](#), [170 BDM 344 01](#), [170 BDM 346 30](#)

Industrial Ethernet Rail Switch Open Type, Model(s): [MCSESU053F1CU0](#), [MCSESU053FN0](#), [MCSESU083F2CS0](#), [MCSESU083F2CU0](#), [MCSESU083FN0](#), [TCSESPU053F1CS0](#), [TCSESPU053F1CU0](#), [TCSESPU083FN0](#), [TCSESPU093F2CS0](#), [TCSESPU093F2CU0](#), [TCSESSU083FN0](#)

Industrial Ethernet Switch, Model(s): [TCSESB083F2CS0M \(SM\)](#), [TCSESB083F2CU0M \(MM\)](#)

Input Base Units, Model(s): [TBX DES16 22](#), [TBX DES16 33](#), [TBX DES16 C22](#), [TBX DES16 F22](#)

Input Base Units, Full Size, Model(s): [TSX-DEZ32 followed by D2](#)

Input Base Units, Half Size, Model(s): [TSX-DEZ08](#), followed by A4, D2, D2K, A5., [TSX-DEZ12](#), followed by A4, D2, D2K, A5.

Input Modules, Model(s): [170 BDI 344 00](#), [170 BDI 344 01](#), [170 BDI 346 00](#), [170 BDI 354 00](#), [170 BDI 354 01](#), [170 BDI 356 00](#), [170 BDI 546 50](#), [170 BDI 746 50](#)

Input/Output Base Units, Model(s): [TBX DMS1025](#), [TBX DMS16 25](#), [TBX DMS16 C22](#), [TBX DMS16 C222](#), [TBX DMS16 P22](#)

Input/Output Base Units, Full Size, Model(s): [TSX-DMZ16AR](#), [TSX-DMZ16DR](#), [TSX-DMZ16DT](#), [TSX-DMZ16DTK](#), [TSX-DMZ28AR](#), [TSX-DMZ28DR](#), [TSX-DMZ28DT](#), [TSX-DMZ28DTK](#), [TSX-DMZ64AR](#), [TSX-DMZ64DR](#), [TSX-DMZ64DT](#), [TSX-DMZ64DTK](#)

Input/Output Module, "System TIO", Model(s): [170 BDM 346 02](#), [170 BDM 379 00](#), [170 QPR 330 00](#), [170 QPR 346 00](#), [170 QPR 346 10](#), [170 QPR 346 20](#), [170 QPR 346 21](#)

Inter PC Communication Cards, Model(s): [TSX-MPT](#)

Interface Modules, Model(s): [170 BNO 681 00](#), [173CHT26010](#), [173CHT76010](#)

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): [170 BNO 67100](#) consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 FNT 11000 consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): 170 FNT 11001 consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO Series", Model(s): 170 DNT 110 00, 170 INT 110 00, 170 INT 110 01, 170 INT 110 03, 170 INT 120 00

Keyboard, Model(s): TSX17-T317

Keyboards, Model(s): TSX-T107, TSX-T307, TSX-T407

Low Voltage Cards, Model(s): TSX-ADT201, TSX-AEM401, TSX-ASR200, TSX-AST200, TSX-LES20

Memory Extension, Model(s): TSX-MFP032P

Memory Extensions, Model(s): TSX-MEM, TSX-MFP032, TSX-MFPBAK032, TSX-MRP032

Modicon M340 and M580 Digital and analog I/O modules, Model(s): BMX-DAI followed by 1614, 1614H, 1615, or 1615H

Modular Units, Model(s): TSX37-05 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-05 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-08 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-08 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-10 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-10 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-21 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-21 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-22 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-22 followed by 10 may be followed by numbers and/or letters.

Momentum Series Special Modules, Model(s): ISP00100 (with serial communication display port)

Momentum Series Special Modules, Model(s): ISP00101 (without serial communication display port)

Monobloc Input Modules, Model(s): TBX CEP1622

Monobloc Input/Output Modules, Model(s): TBX SAP10 coupling module FIPIO/ASI.

Monobloc Output Modules, Model(s): TBX CSP16 22, TBX CSP16 25

Nano-programmable controllers, Model(s): TSX AMN4000

Nano-Programmable Controllers, Model(s): TSX07 followed by 32 or 33, followed by 10, 16 or 24, followed by 12, 22 or 28.

Network Interfaces Modules, "TSX Advantys Series", Model(s): STBNCO1010 (h), STBNCO1113 (h), STBNCO2212 (h), STBNDN1010 (h), STBNDN2212 (h), STBNDP1010 (h), STBNDP2212 (h), STBNFP2212 (h), STBNIB1010 (h), STBNIC2212 (h), STBNIP1010 (h), STBNIP2212 (h), STBNIP2311 (h), STBNMP2212 (h)

One-Axis Command Modules, Model(s): TSX-CAZ11

Open type, programmable controller, Industrial Ethernet switch, Model(s): TCSESB083F23F0, TCSESB083F2CU0, TCSESB093F2CU0

Open type, programmable controller, Industrial wireless LAN access point device, Model(s): [TCSGWA242](#), [TCSGWA242E](#), [TCSGWC241](#), [TCSNWA241](#), [TCSNWA241F](#)

Open type, programmable controllers, Model(s): [TCSESU083FN0](#)

Open type, Programmable controllers, Model(s): [BME CXM 0100](#), [BME CXM 0100H](#), [BME PXM 0100](#), [BME PXM 0100H](#), [MCSESR043F23F0](#), [MCSESR043F23F0C](#), [MCSESR043F2LM0](#), [MCSESR043F2LM0C](#), [Modicon M340 and M580](#), [TCSEFEA23F3F22](#), [TCSEFEC23F3F21](#), [TCSEFEC23FCF21](#)

Open type, Programmable controllers, "Modicon MC80", Model(s): [BMKC8020300](#), [BMKC8020301](#), [BMKC8030311](#)

Output Base Units, Model(s): [TBX DSS1235](#), [TBX-DSS1622](#), [TBX-DSS1625](#), [TBX-DSS16C22](#)

Output Base Units, Full Size, Model(s): [TSX-DSZ32 followed by R5](#), [TSX-DSZ32 followed by T2](#)

Output Base Units, Half Size, Model(s): [TSX-DSZ04R5](#), [TSX-DSZ04T2](#), [TSX-DSZ04T22](#), [TSX-DSZ04T2K](#), [TSX-DSZ08R5](#), [TSX-DSZ08T2](#), [TSX-DSZ08T22](#), [TSX-DSZ08T2K](#)

Output Modules, "System TIO", Model(s): [170 BDO 354 00](#)

Power Distribution Modules, "TSX Advantys Series", Model(s): [STBPDT2100\\$](#), [STBPDT2105\\$](#), [STBPDT3100\\$](#), [STBPDT3105\\$](#)

Power Supplies, Model(s): [TSX-SUP-11](#), [TSX-SUP-12](#), [TSX-SUP-12A](#), [TSX-SUP-21](#), [TSX-SUP-22](#), [TSX-SUP-22A](#), [TSX-SUP-40](#), [TSX-SUP-401](#), [TSX-SUP-41](#), [TSX-SUP-60](#), [TSX-SUP-61](#), [TSX-SUP-62](#), [TSX-SUP-65](#), [TSX-SUP-702](#), [TSX-SUP-80](#)

Power supply modules, "Modicon M340 and M580", Model(s): [BMXCPS](#) followed by 2000, 3500, 3500H, 3540T, 2010, 3020, 3020H, may be followed by suffix NUC

Power supply modules, "Modicon M340 and M580", Model(s): [BMXCPS](#) followed by [4002](#), 4002H, 4002S, 4022, 4022H, 4022S, 3522, 3522H or 3522S, may be followed by suffix NUC

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS11100](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS11400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS11410](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS11420](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS12400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS12420](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS21100](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS21400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS22400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS41400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS42400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS51100](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS52400](#) All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): [140CPS52400](#) All model numbers may be followed by Suffix C.

Power Supply, "System TIO", Model(s): [170 CPS 111 00](#)

Processor modules, "Modicon M340 and M580", Model(s): [BMED58](#) followed by 1020 or 1020C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMEH58 followed by 2040S, 4040S or 6040S, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMEH58 followed by 2040, 2040C, 4040, 4040C, 6040, 6040C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMEH58 followed by 2040K or 4040K (bundle), may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMEP58 followed by 1020, 1020H, 2020, 2020H, 2040, 2040H, 2040S, 3020, 3040, 4020, 4040, 4040S, 5040, 5040C, 6040, 6040C or 6040S, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMEP58CPROS3 may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMER58 followed by 1020 or 1020C, may be followed by suffix NUC

Processor modules, "Modicon M340 and M580", Model(s): BMXP34 followed by 1000, 1000H, 2000, 2010, 2020, 2020H, 2030, 20102, 20102CL, 20302, 20302CL, 20302H or 20ITRB, may be followed by suffix NUC

Profibus remote masters, open type, Model(s): TCSEGPA23F14F, TCSEGPA23F14FK

Programmable (Portable), Model(s): FTX517, may be prefixed by "T"

Programmable Cell Controllers, Model(s): CCX77 followed by 2 to 4 digits, may be prefixed by T.

Programmable Cell Controllers, Model(s): CCX77FP followed by 2 to 4 digits, may be prefixed by T.

Programmable Controller, Model(s): 140CRP31200, 140CRP31200C, 140NOC77101, 140NOC77101C, 140NOC78000, 140NOC78000C, 140NOC78100, 140NOC78100C, BMXNOC0401, BMXNOC0401C, BMXNOC0401H, BMXNOC0402, BMXNOC0402C, BMXNOC0402H, TSXETC100, TSXETC101

Programmable Controller Racks, Model(s): TSX-107, TSX-47, TSX-47 Junior, TSX-67, TSX-87, TSX-RKD7, TSX-RKD8, TSX-RKD8FEW11, TSX-RKN52, TSX-RKN8, TSX-RKN82W11, TSX-RKN8W11, TSX-RKS51, TSX-RKS8, TSX-RKS8W11

Programmable controller, Open type, firewall modules, Model(s): TCSEFEC23F3F20, TCSEFEC23FCF20, TCSEFEC2CF3F20

Programmable Controller-Accessories, "TSX Advantys Series", Model(s): STBXTS5510 Telefast Twido Input\$, STBXTS5610 Telefast Twido Output\$, STBXTS5660 Telefast Output\$, STBXTS6510 Telefast Input\$

Programmable controllers, Model(s): TCSEFEA23F3F20, TCSEFEA23F3F21, TCSESM043F1CS0, TCSESM043F1CU0, TCSESM043F23F0, TCSESM043F2CS0, TCSESM043F2CU0, TCSESM063F2CS1, TCSESM063F2CU1, TCSESM083F1CS0, TCSESM083F1CU0, TCSESM083F23F0, TCSESM083F23F1, TCSESM083F2CS0, TCSESM083F2CU0, TCSESM083F2CX0, TCSESM103F23G0, TCSESM103F2LG0, TCSESM163F23F0, TCSESM163F2CS0, TCSESM163F2CU0, TCSESM243F2CU0

Programmable Controllers, Model(s): MCSESM043F23F0, MCSESM053F1CS0, MCSESM053F1CU0, MCSESM063F2CS0, MCSESM063F2CU0, MCSESM083F23F0, MCSESM083F23F0H, MCSESM083F23F1, MCSESM083F23F1H, MCSESM093F1CS0, MCSESM093F1CU0, MCSESM103F2CS0, MCSESM103F2CS0H, MCSESM103F2CS1, MCSESM103F2CS1H, MCSESM103F2CU0, MCSESM103F2CU0H, MCSESM103F2CU1, MCSESM103F2CU1H, MCSESM123F23G0, MCSESM123F2LG0, MCSESM163F23F0, MCSESM203F4LG0, MCSESM243F4LG0, MCSESP083F23G0, MCSESP083F23G0T, TSX AMN4001, TSX17 followed by 02028, TSX17 followed by 12028, TSX17 followed by 22012, TSX17 followed by 22028, TSX17 followed by 22044, TSX17 followed by 23428, TSX17 followed by 23444, TSX17 followed by 24012, XPSMFCPU22

Programmable Controllers, "Modicon Edge I/O NTS System", Model(s): NTSACI0802X(K), NTSACI0802XH(K), NTSAHI0412XH(K), NTSAHO0212H(K), NTSAMI0210(K), NTSAMI0210H(K), NTSAMI0400(K), NTSAMI0800(K), NTSAMM0600(K), NTSAMO0210(K), NTSAMO0210H(K), NTSAMO0400(K), NTSAMO0400H(K), NTSART0214(K), NTSART0214H(K), NTSART0404(K), NTSART0603(K), NTSDDI0602(K), NTSDDI0802X(K), NTSDDI1602(K), NTSDDI1602X(K), NTSDDI1602XH(K), NTSDDI1642(K), NTSDDO0212H(K), NTSDDO0402(K), NTSDDO0402H(K), NTSDDO0802(K), NTSDDO0802X(K), NTSDDO1602(K), NTSDDO1602X(K), NTSDDO1602XA(K), NTSDDO1602XAH(K), NTSDDO1602XH(K), NTSDMY0100H(K), NTSDMY0200H(K), NTSDRA0615(K), NTSEHC0100(K), NTSEHC0120H(K), NTSEHC0220(K), NTSFIO0400(K), NTSFMB0120(K), NTSFMB0120H(K), NTSNEC1200(K), NTSNEC1200H(K), NTSPCM0016H(K), NTSPCM0808H(K), NTSPCM1600H(K), NTSPFB1002H(K), NTSPFD1002H(K), NTSXBA0100H, NTSXBA0103H, NTSXBA0104H, NTSXBA0200H, NTSXBA0201H, NTSXBA0213H, NTSXBA0214H, NTSXBA0301H, NTSXMP0000H(K)

Programmable Controllers, "Modicon M340 and M580", Model(s): BMEH5680402NUC, BMEH5860401NUC

Programmable Controllers, "Modicon M340 and M580", Model(s): TSXCAN followed by CA, CADD, CB, CBDD, CD or TDM, followed by 1, 2 or 3 digit number

Programmable Controllers, "Modicon M340 and M580", Model(s): TSXCAN, followed by KCDF followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon M340, M580, Digital and analog I/O modules", Model(s): BMXDRC followed by 0805 or 0805H followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon Quantum", Model(s): 140XSM01000, 140XTS00100, 140XTS00200, 140XTS33200, 467NHP91151

Programmable Controllers, "Modicon Quantum", Model(s): 140CPS52420 All model numbers may be followed by Suffix C.

Programmable controllers, open type, Model(s): 499NMS25101, 499NMS25102, 499NSS25101, 499NSS25102, TCSESU103F2CS0, TCSESU103F2CU0

Programmable controllers, Open type, Rugged Ethernet DIN Rail Switches, Model(s): TCSESM063F2CS1C, TCSESM063F2CU1C, TCSESM083F23F1C

Programmable logic controllers, Model(s): TCSESU033FN0, TCSESU043F1N0, TCSESU053FN0

Programmers (Portable), Model(s): FTX507, may be prefixed by "T"

Programming Terminals, Model(s): TSX-T607

Protective Covers (Empty Modules), "Modicon Quantum", Model(s): 140 XCP, followed by 500 or 510, followed by 00.

Rack Masters, Model(s): TSX-LES, TSX-LFS

Racks, "Modicon M340 and M580", Model(s): BMEXBP followed by 0602, 0602H, 1002 or 1002H, may be followed by suffix NUC

Racks, "Modicon M340 and M580", Model(s): BMEXBP followed by 0400, 0400H, 0800, 0800H, 1200 or 1200H, may be followed by suffix NUC

Racks, "Modicon M340 and M580", Model(s): BMXXBP followed by 0400, 0400H, 0600, 0600H, 0800, 0800H, 1200 or 1200H, may be followed by suffix NUC

Rapid Counting and Positioning Cards, Model(s): TSX-AXM#, TSX-AXT#, TSX-CTM#

Relay Output Modules, "TSX Advantys Series", Model(s): STBDRA3290\$, STBDR3210\$

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-AHI 0812H, BME-XBP 0400H, BME-XBP 0602H, BME-XBP 0800H, BME-XBP 1002H, BME-XBP 1200H, BMX-AMI0410H, BMX-AMI0810H, BMX-AMM0600H, BMX-AMO0210H, BMX-AMO0410H, BMX-ART0414H, BMX-ART0814H, BMX-CPS 4002H, BMX-CPS3020H, BMX-CPS3500H, BMX-DAI 0802H, BMX-DAI 0803H, BMX-DAI 0804H, BMX-DAI 0814H, BMX-DAI 1602H, BMX-DAI 1603H, BMX-DAI 1604H, BMX-DAI 1614H, BMX-DAO1605H, BMX-DDI1602H, BMX-DDI1603H, BMX-DDM16022H, BMX-DDM16025H, BMX-DDO1602H, BMX-DDO1612H, BMX-DRA0805H, BMX-DRA1605H, BMX-EAE 0300H, BMX-EHC0200H, BMX-EHC0800H, BMX-ETM 0200H, BMX-NGD 0100H, BMX-NOE0100H, BMX-NOE0110H, BMX-NOM0200H, BMX-NOR0200H, BMX-P341000H, BMX-P342020H, BMX-P3420302H, BMX-XBE1000H, BMX-XBP0400H, BMX-XBP0600H, BMX-XBP0800H, BMX-XBP1200H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-P58 followed by 10 or 20, followed by 20 or 40, followed by H.

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI3202 may be followed by K, followed by H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI6402 may be followed by K, followed by H

Serial Communication Cards, Model(s): TSX-SCM

Setup Modules, Model(s): TSX-ACZ03

Snap-on Plugs, Model(s): TSX-RKA01

Special modules, "Modicon M340 and M580", Model(s): BMXEAE followed by 0300 or 0300H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXEHC followed by 0200, 0200H, 0800 or 0800H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXERT followed by 1604T or 1604H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXETM followed by 0200 or 0200H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXMSP followed by 0200, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXPRA followed by 0100 or 0100H, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): BMXXBE followed by 1000, 1000H or 2005, may be followed by suffix NUC

Special modules, "Modicon M340 and M580", Model(s): PMXCDA followed by 0000, may be followed by suffix NUC

Specialty Modules, "TSX Advantys Series", Model(s): STBAHI8321\$

Specialty Modules, "TSX Advantys Series", Model(s): STBEPI1145\$, STBEPI2145\$.

Specific Modules, "Modicon Quantum", Model(s): 140EHC10500 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140EHC20200 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140HLI34000 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42500 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42501 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42502 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS52502 All model numbers may be followed by Suffix C.

Specific Modules-Battery Module, "Modicon Quantum", Model(s): 140XCP90000 All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): 140MSB10100 All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): 140MSC10100 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85410 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85410Z All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85420 All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): 140ERT85430 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): 140TPFT10 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): TPXF1250 All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): TPXF78 All model numbers may be followed by Suffix C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-NOC0321 may be followed by C., BME-NOS followed by 0300 or 0300C, BME-P58 1020, BME-P58 1040, BME-P58 2020, BME-P58 2040, BME-P58 3020, BME-P58 3040, BME-P58 4020, BME-P58 4040, BME-P58 5040 may be followed by C, BME-P58 6040 may be followed by C, BMEPTKMK followed digit numbers, BMX-AMI0400, BMX-AMI0410, BMX-AMI0800, BMX-AMI0810, BMX-AMM0600, BMX-AMO0202, BMX-AMO0210, BMX-AMO0402, BMX-AMO0410, BMX-AMO0802, BMX-AMO0810, BMX-ART0414, BMX-ART0814, BMX-CPS 4002, BMX-CPS2000, BMX-CPS2010, BMX-CPS3020, BMX-CPS3500, BMX-DAO1605K, BMX-DRA0805, BMX-DRA1605, BMX-EAE0300, BMX-EHC0200, BMX-EIA0100, BMX-ETM 0200, BMX-FTA, followed by a 3 digit number., BMX-FTB, followed a 4 digit number., BMX-MSP0200, BMX-NGD 0100, BMX-NOE0100, BMX-NOE0110, BMX-NOM0200, BMX-NOR0200, BMX-PRA0100, BMX-XBC, followed digit numbers., BMX-XSP, followed a 4 digit number., BMX-XTS HSC followed a 2 digit number, PMX-CDA0000, TCS-CCN, followed digit numbers., TCS-MCN, followed digit numbers., TCS-XCN, followed digit numbers.

Standard Modules, "Modicon M340 and M580 Series", Model(s): ABE7 followed by CPA, followed by 2 or 3 digit number

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-AHI followed by 08, followed by 12, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-AHO followed by 04, followed by 12, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-CRA followed by 31, followed by 210, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-H58 followed by 20, 40 or 60, followed by 40, may be followed by C or K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-NOC followed by 03, followed by 01 or 11, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP followed by 04, 08, or 12, followed by 00.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP, followed by 06 or 10, followed by 02.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-CRA followed by 31200, 31210 may be followed by C

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DAI 08 followed by 02, 03, 04, 05 or 14

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI followed by 16, 32 or 64, followed by 02 or 03, may be followed by K or C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDM followed by 16 or 32, followed by 02, 022 or 025, may be followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDO followed by 16, 32 or 64, followed by 02 or 12, may be followed by K, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FC followed by A, C or W, followed a 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FI followed by W, followed by 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-FTW followed a 3 or 4 digit number, may be followed by S

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-NOC followed by 04, followed by 01 or 02, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-NRP followed by 0200, 0200C, 0201 or 0201C

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-P followed by AM or DM, followed by 48, 64 or 82, followed by 000, 100 or 200.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-P34 followed by a 4 or 5 digits number, may be followed by ITRB may be followed by CL.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-RMS followed by a 1 or 3 digit number, followed by M or G, may be followed by P or PF or ITRB

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-RWS followed by B, C or FO, followed by a 3 digit number, followed by M.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBC followed by a 4 digit number, followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBE followed by 10 or 20, followed by 00 or 05.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBP followed by a 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XCA followed by USB, followed by H, followed a 3 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XTS followed by CPS, followed a 2 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): NCA, followed by 82 or 84, followed by 000.

Supply Module, "System TIO", Model(s): 470 IPS 258 00

System Momentum Communication CPU Modules, Model(s): CCC 76010 (e), CCC 78010 (e), CCC 78010K (e), CCC 96020 (e), CCC 96030 (e), CCC 96091 (e), CCC 98010 (e), CCC 98020 (e), CCC 98030 (e), CCC 98091 (e), CCS 70000 (e), CCS 70010 (e), CCS 76000 (e), CCS 78000 (e).

System Momentum Communication Modules, Model(s): 170ENT 11002, ENT 11000, ENT 11001, INT 11003, JNN 21032 Ring Adapter, LNT 7100, NEF 11021, NEF 16021, PNN 21022 Ring Adapter MB+, PNN 26022 Ring Adapter MB+ Dual, PNT 11020 MB+, PNT 16020 MB+ Dual

Time Stamping Cards, Model(s): TSX-DEM

Timer Module, "Adaptable TIO Series", Model(s): 470 GPS 001 00

TSX57 Series Programmable Controllers, Model(s): AM0ETH001V000, AM0ETH002V000, AM0F1P001V000, AM0MBP001V000, BATM01, BATM02, BATM03, BATM101, NTP100, TSX DMY28FK, TSX DMY28RFK, TSX MFPB 096K, TSX-AHK0106, TSX-ASY410, TSX-ASY800, TSX-BLY01, TSX-CAY21, TSX-CAY22, TSX-CAY33, TSX-CAY41, TSX-CAY42, TSX-CBRY2500, TSX-CBRY2500F, TSX-CBRYK5, TSX-CBY010K, TSX-CBY010KT, TSX-CBY030K, TSX-CBY030KT, TSX-CBY050K, TSX-CBY050KT, TSX-CBY1000K, TSX-CBY1000KT, TSX-CBY120K, TSX-CBY120KT, TSX-CBY180K, TSX-CBY180KT, TSX-CBY280K, TSX-CBY280KT, TSX-CBY380K, TSX-CBY380KT, TSX-CBY500K, TSX-CBY500KT, TSX-CBY720K, TSX-CBY720KT, TSX-CFY11, TSX-CFY21, TSX-CPP100, TSX-CPP110, TSX-CRJDB25, TSX-CRJMD25, TSX-CTY2A, TSX-CTY2C, TSX-CTY4A, TSX-CUSB232, TSX-CUSB485, TSX-ESY007, TSX-ETG1000, TSX-ETG1010, TSX-ETG3000, TSX-ETG3010, TSX-ETG3021, TSX-ETG3022, TSX-ETG3030, TSX-ETY110, TSX-ETY210, TSX-ETY410, TSX-ETY4102, TSXETY4103, TSX-ETY5101, TSX-ETY5102, TSXETY5103, TSX-ETZ410, TSX-ETZ510, TSX-FAN, TSX-FAN2DP, TSX-FPP10, TSX-FPP20, TSX-FPP200, TSX-IBX100, TSX-IBY100, TSX-ISPY 100, TSX-ISPY 101, TSX-ISPY 101EX, TSX-MBP100, TSX-MCP followed by CxxK, TSX-MCP followed by CxxM, TSX-MFP BAK032P, TSX-MFPPxxK, TSX-MFPPxxM, TSX-MRP CxxK, TSX-MRP CxxM, TSX-MRP DS2048P, TSX-MRP FxxM, TSX-MRP PxxK, TSX-MRP PxxM, TSX-MRP0128P, TSX-MRP0256P, TSX-MRP0512P, TSX-MRP064P, TSX-MRP3384P, TSX-PAY 262/282, TSX-PBY10, TSX-PBY100, TSX-PCX3030, TSX-REY2002500, TSX-REY2002500F, TSX-REY200K5, TSX-RKA02, TSX-SAY100, TSX-SAY1000, TSX-SCY11601, TSX-SCY21601, TSX-SUP1011, TSX-SUP1021, TSX-SUP1051, TSX-SUP1101, TSX-SUPA02, TSX-SUPA05, TSX-TLYEX, TSXTVSY100, TSXUSBFIP, TSXWMY100, UNY-XCA-USB33, YCP-MFPP128

TSX57 Series Programmable Controllers, Model(s): TPCX-57 followed by a three or four digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TPMX-P57 followed by 0, 1, 2, 3, 4, 5 or 6, followed by 1, 2 or 3 digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-AEY followed by 4, 8 or 16, followed by a 2 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CAN-CB followed by 1, 2 or 3 numbers.

TSX57 Series Programmable Controllers, Model(s): TSX-CAN-CBDD followed by 1, 2 or 3 numbers.

TSX57 Series Programmable Controllers, Model(s): TSX-CCY followed by 2 to 4 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CSY followed by 2 to 4 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CXP followed by 3 or 5 numbers or letters.

TSX57 Series Programmable Controllers, Model(s): TSX-DEY followed by 08, 16, 32 or 64, followed by A2, A3, A4, A5, D2, D3, F or RF, may be followed by K.

TSX57 Series Programmable Controllers, Model(s): TSX-DSY followed by 08, 16, 32 or 64, followed by T2, T3, S4, S5, R4 or R5, may be followed by 1, 2, A, D or K.

TSX57 Series Programmable Controllers, Model(s): TSX-H57 followed by a 4 digit number, followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-MFP followed by a 3 or 4 digit number, followed by P may be followed by 2.

TSX57 Series Programmable Controllers, Model(s): TSX-P57 followed by 0, 1, 2, 3, 4, 5 or 6, followed by 1, 2 or 3 digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-P57 followed by 3 or 4 followed by a 2 or 3 digit number, may be followed by L, may be followed by AM.

TSX57 Series Programmable Controllers, Model(s): TSX-P57C followed by A or C, followed by 3, 4 or 5 digit number may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-PCI-57 followed by a three or four digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-PCX followed by 4 numbers or letters.

TSX57 Series Programmable Controllers, Model(s): TSX-PSI followed by a three or four digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-PSY followed by 161, 260, 361, 550, 552, or 850, followed by 0 or 1, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-RKY followed by 4, 6, 8 or 12, may be followed by E or X.

TSX57 Series Programmable Controllers, Model(s): TSX-SCP followed by 10 followed by 1, 2 or 4.

TSX57 Series Programmable Controllers, Model(s): TSX-SCP followed by 11 followed by 1, 2 or 4.

TSX57 Series Programmable Controllers, Model(s): TSX-TAP followed by 3 or 5 numbers or letters.

- May be followed by any one to three letter(s) and/or number(s).

\$ - May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).

\$ - May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).

% - May be followed by C.

(#) - x may be any alphanumeric character, _ or blank. & may be A or D. model may be followed by 16 alphanumeric character, ? ? ? , or blank

(#) - x may be any alphanumeric character, _ or blank; & may be A or D; model may be followed by 16 alphanumeric character, ; ; ; , or blank

(#) - x may be any alphanumeric character, _ or blank, & may be A or D, model may be followed by 16 alphanumeric character, or blank

(&) - Where x may be any alphanumeric characters
(e) - May be followed by C.
(h) - May be followed by K, KS or KC.
* - May be followed by S.
@ - May be followed by numbers and/or letters.
+ - Where x may be any alphanumeric character.
xx - Where xx can be replaced by any alphanumeric character.

Last Updated on 31/03/2025 09:50:17

La présence d'un produit ou d'un nom de société dans cette base de données ne signifie pas nécessairement que les produits ainsi identifiés ont été fabriqués dans le cadre du service de suivi d'UL. Seuls les produits portant la marque UL peuvent être considérés comme certifiés et couverts par le service de suivi d'UL. Recherchez toujours la marque sur un produit.

UL autorise la reproduction des documents contenus dans le répertoire de certifications en ligne, aux conditions suivantes : 1. Les (fichiers de) certifications, informations des guidages, assemblages, constructions, dessins et/ou systèmes doivent être présentés dans leur totalité et de manière non trompeuse, sans aucune manipulation des données (ou de dessins). 2. La mention « Réimprimé depuis le répertoire des certifications en ligne avec la permission d'UL » doit être apposée près du matériau extrait. En outre, le document réimprimé doit comporter une déclaration relative aux droits d'auteur au format suivant : "©2025 UL LLC."