



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC2006010305196237

NAME AND ADDRESS OF THE APPLICANT

Schneider Electric (China) Co. Ltd. Shanghai Branch
No. 669, Suide Road, Putuo District, Shanghai, China

NAME AND ADDRESS OF THE MANUFACTURER

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

NAME AND ADDRESS OF THE FACTORY

SCHNEIDER ELECTRIC INDUSTRIES SA (V054246)
52 Rue De Dion Bouton ZI Nord F-87280 LIMOGES France

PRODUCT NAME, MODEL AND SPECIFICATION

Limit Switch
XCKJ,ZCKJ,ZCKZ; See the appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

TYPE OF CERTIFICATION SCHEMES

Type testing+Follow up factory inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-462142-2019 .

Valid from: Aug.25,2020

Valid until: Sep.24,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0372769



产品认证证书

证书编号：CQC2006010305196237

申请人名称及地址

施耐德电气（中国）有限公司上海分公司
上海市普陀区绥德路 669 号

制造商名称及地址

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

生产企业名称及地址

SCHNEIDER ELECTRIC INDUSTRIES SA (V054246)
52 Rue De Dion Bouton ZI Nord F-87280 LIMOGES France

产品名称和系列、规格、型号

限位开关

XCKJ,ZCKJ,ZCKZ; 详细参数及型号解释见附件

产品标准和技术要求

GB/T 14048.5-2017

认证模式

型式试验+获证后监督

上述产品符合 CQC11-462142-2019 认证规则的要求，特发此证。

发证日期：2020 年 08 月 25 日 有效期至：2024 年 09 月 24 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P

主任：_____

陆楠



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

C 0372769



产品认证证书

附录

第 2 页 共 5 页

证书编号: CQC2006010305196237

纸号: 372769

型号解释:

XCKJ	I	1	33	05	41	HZ
1	II	III	IV	V	VI	VII

I 基本型号

- XCKJ : 成品
- ZCKJ : 底座/触头部件 2P
- ZCKJD : 底座/触头部件 3P
- ZCKZ0 : 指示灯模块
- ZCKJ01 : 插入式指示灯模块

触头模块

空白 : 对 ZCKZ0, ZCKJ01

对 XCKJ / ZCKJ:

- 1 : NO+NC 瞬动(对于插入式: 1 C/O 瞬动)
- 2 : 瞬动, 2 C/O
- 3 : 瞬动, 1 (NC + NO), 无接线端子保护
- 4 : 瞬动, 2 C/O 梯级式
- 5 : NO+NC 慢断
- 6 : NO+NC 慢断, 触头交迭
- 7 : NC+NC 慢断
- 8 : NO+NO 慢断
- 9 : NC+NC 瞬动

对 ZCKJD:

- 31 : NC+NO+NO 瞬动
 - 39 : NC+NC+NO 瞬动
 - 35 : NC+NO+NO 慢断
 - 37 : NC+NC+NO 慢断
- 如果第 1 位数字改为 7: 镀金触头

III 字符段 II 触头模块的补充信息

- 空白 : 标准型
- 1 : 插入式, 适用于 XCKJ / ZCKJ 1, 2, 4
- 8 : 镀金触头

IV 指示灯

- 空白 : 不带指示灯
- 20 : 1 LED DC24V (Ui=50V, Ie=7mA)
- 21 : 2 LED DC24V (Ui=50V, Ie=7mA 每个 LED)
- 34 : 2 LED AC110-240V (Ui=250V, Ie=9mA 每个 LED)

注: 此附录与证书同时使用时有效。

主任: _____



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附录

第 4 页 共 5 页

证书编号: CQC2006010305196237

纸号: 372769

<u>XCKJ</u>	<u>1</u>	<u>1</u>	<u>33</u>	<u>05</u>	<u>41</u>	<u>H7</u>
I	II	III	IV	V	VI	VII

I Configuration

- XCKJ: Complete unit, blue
- ZCKJ: Body/contact assembly 2 poles
- ZCKJD : Body/contact assembly 3 poles
- ZCKZ0 : Indicator light module
- ZCKJ01 : Plug-in indicator light module

II Contact block

Blank : For ZCKZ0, ZCKJ01

For XCKJ / ZCKJ :

- 1 : NO+NC snap action(1 C/O snap action for plug-in body)
- 2 : Snap action, two C/O
- 3 : Snap action, one (NC + NO), no terminal protection
- 4 : Snap action, two C/O step switch
- 5 : NO+NC slow break
- 6 : NO+NC slow break overlapping
- 7 : NC+NC slow break
- 8 : NO+NO slow break
- 9 : NC+NC snap action

For ZCKJD :

- 31 : NC+NO+NO snap action
- 39 : NC+NC+NO snap action
- 35 : NC+NO+NO slow break
- 37 : NC+NC+NO slow break

If first digit replaced by 7: Gold plated contact

III Supplementary information of contact block

Blank : Standard

- 1 : Plug-in body, suitable for XCKJ / ZCKJ 1, 2, 4
- 8 : Gold plated contact

IV Indicator light

Blank : Without indicator light

- 20 : 1 LED DC24V (Ui=50V, Ie=7mA)
- 21 : 2 LED DC24V (Ui=50V, Ie=7mA per LED)
- 34 : 2 LED AC110~240V (Ui=250V, Ie=9mA per LED)

注: 此附录与证书同时使用时有效。

主任: _____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附录

第 5 页 共 5 页

证书编号: CQC2006010305196237

纸号: 372769

V Operating head

Blank : For ZCKJ plug-in module, ZCKZ0 indicator light module, and ZCKJ0 plug-in indicator module

- 04 : 2 steps left & right rotary head-spring return
 - 045 : 2 steps left & right rotary head-spring return, reinforced spring return
 - 046 : 2 steps left & right rotary head-spring return, reinforced insulation
 - 05 : Rotary head-spring return ZCKE05
 - 06 : Multi-directional head-"Cat's whisker" ZCKE06
 - 08 : Multi-directional head-spring rod lever ZCKE08
 - 09 : Rotary head-stay put ZCKE09
 - 21 : Roller lever plunger thermoplastic (1 direction of actuation) ZCKE21
 - 23 : Roller lever plunger steel (1 direction of actuation) ZCKE23
 - 61 : End plunger metal ZCKE61
 - 62 : End roller plunger steel ZCKE62
 - 63 : Side plunger metal ZCKE63
 - 64 : Side roller horizontal plunger steel ZCKE64
 - 65 : Side roller vertical plunger steel ZCKE65
 - 66 : End ball bearing plunger steel ZCKE66
 - 67 : End reinforced roller plunger steel ZCKE67
- If followed by 9 : With protective boot

Operating lever (for rotary heads only)

For actuation by 30° cam :

- 11 : Roller lever thermoplastic ZCKY11
- 13 : Roller lever steel ZCKY13
- 14 : Roller lever steel, ball bearing mounted ZCKY14
- 41 : Variable length roller lever thermoplastic ZCKY41
- 43 : Variable length roller lever steel ZCKY43

For actuation by any moving part :

- 51 : Square rod 3×3mm, steel, L=125mm ZCKY51
- 52 : Round rod φ3mm glass fibre, L=125mm ZCKY52
- 53 : Round rod φ3mm steel, L=125mm ZCKY53
- 59 : Round rod φ6mm thermoplastic, L=200mm ZCKY59
- 81 : Spring lever ZCKY81
- 91 : Spring metal rod lever ZCK91

For actuation by specific cam :

- 61 : Forked arm and rollers thermoplastic, 2 track, ZCKY61
- 71 : Forked arm and rollers thermoplastic, 1 track, ZCKY71

VII Entry

Blank : Threaded hole for Type 13M European cable gland, or ZCKZ0 indicator light module, or ZCKJ01 plug-in indicator light module

- H7 : 1/2 in. NPT threaded hole
- H29 : ISO M20 threaded hole
- A : 5-way connector type Brad Harrison Mini Change

注: 此附录与证书同时使用时有效。

主任: _____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>