



Legrand's
Complete
Line of USB
Solutions

FAST. FASTER.
FASTEST.



#LegrandImprovingLives



With more than 130 years of experience, Legrand has built safe, reliable and long-lasting electrical products that have evolved with changing technology and power needs.

Today we offer an extensive selection of industry-leading outlets and receptacles for residential, commercial and hospital-grade applications, including USB outlets to support safe and efficient charging of modern electronics.

The complete line of USB Outlets includes speeds up to 65 watts to accommodate the charging capacity required for devices of various sizes, intelligent charging technology to deliver the ideal speed and overcurrent protection to safeguard against damage to the outlet and connected device.

USB SOLUTIONS

FASTEST: 65W USB OUTLETS

Charges a laptop 0-50% in 45 minutes*

65 WATTS
**per port*

6 AMPS



2 TYPE-C PORTS
with Power Delivery

CHARGING
STATUS LIGHT
industry exclusive

MULTILAYERED
OVERCURRENT
PROTECTION

*Exact charging time may vary depending on charging cable and device condition and age

FEATURED FASTEST




R26USBPD65W | TR20USBPD65W

ARTRUSB15PD65W4 | ARTRUSB20PD65W4

USB SOLUTIONS

FASTER: 30W USB OUTLETS

Charges the latest smartphones 0-50% in 25 minutes*



*Exact charging time may vary depending on charging cable and device condition and age

FAST: 15W USB OUTLETS

Charges smartphones & tablets




FEATURED FASTER



R26USBPBW | TR20USBPBW ARTRUSB15PD30W4 | ARTRUSB20PD30W4



FEATURED FAST



TR15USBAC6W | TR20USBAC6W R26USBAC6W | R26USBCC6WCCV6 ARTRUSB156ACW4 | ARTRUSB206ACW4

USB DEVICES FOR COMMERCIAL SPACES

Fast Charging for Modern Spaces

Our USB charging solutions deliver reliable power with industry-leading speed for today's commercial environments. Available in multiple port configurations with Power Delivery options and convenient indicator lights, they are designed to keep people connected with ease. **Ideal for education, retail, commercial office and multi-dwelling applications.**

Hospital-Grade USBs Keep Staff, Patients and Visitors Connected

Built to meet **hospital grade and Fed Spec** requirements with a tamper-resistant design, our hospital-grade devices set the standard for USB charging speed, safety and performance. They are ideal for nurses' stations, patient rooms and waiting areas – to support the increasing use of laptop, tablets and phones in healthcare spaces.

PlugTail® Technology Simplifies Installation

PlugTail USBs install 5x faster than traditional wiring devices, meet strict code requirements and simplify future upgrades. These devices simply snap into the universal prewired pigtail connector, cutting installation time and making future changeouts quick – without the hassle of rewiring.



WHY CHOOSE LEGRAND USB OUTLETS?

The Highest Quality of Safety Comes Standard

Overcurrent protection ensures both the outlet and connected device operate at optimal levels without risk of damage or overheating.

Patented tamper-resistant 'invisi-shutters' prevent improper insertion of foreign objects.

Combination GFCI USB Outlets ensure reliable protection from shock due to ground fault occurrences. Designed for kitchens, bathrooms and more.

'No Juice Jacking' - Certified to specifications outlined by the USB Implementers Forum, prohibiting the transfer and receipt of information from the connected devices to keep personal information safe.



Built for Today,
Designed to Last

As the standard for today’s modern electronics, **Type-C ports** provide users with a reliable, long-term solution for charging needs.

Instead of adapters that get lost, wear out and have short lifespans, **users can purchase our USB Type-C outlets for long-lasting charging access.**



The Fastest Available

Up to 65W of charging capacity to accommodate the needs of small laptops.

Power Delivery offers up to 2X faster charging by enabling the highest level of power a device can safely accept.

Built for intelligent charging, the outlet detects and delivers the precise amount of power needed for a device based on variable voltage outputs and device profiles.




USB Charging Outlets & Receptacles

BASE SKU	LINE / COLLECTION	RATINGS	NOTES/APPLICATION	COLORS	USB PORT TYPE(S)	CHARGING CAPACITY WATTAGE AMPERAGE/ OUTPUT	TR	WR
ARTRUSB15PD65X4	adorne	15A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
ARTRUSB20PD65X4	adorne	20A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
ARUSB65PDX4	adorne		USB only; with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	65W (per port) 5V, 9V, 15V & 20V Output		
R26USBPD65X	radiant	15A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	- , BK, DBCC6, GCC6, GRY, I, LA, NICC6, W	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
TR20USBPD65X	radiant	20A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Commercial	- , BK, DB, G, GRY, I, LA, NI, RED, W	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
TR15HUSBPD65X	Pass & Seymour	15A, 125V	Hospital-Grade, with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Healthcare	W, BK, LA, I, RED, GRY, BN, BL, OR, GN, PU	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
TR20HUSBPD65X	Pass & Seymour	20A, 125V	Hospital-Grade, with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Healthcare	W, BK, LA, I, RED, GRY, BN, BL, OR, GN, PU	C, C	65W (per port) 5V, 9V, 15V & 20V Output	✓	
ARTRUSB15PD30X4	adorne	15A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	30W (per port) 5V, 9V & 15V Output	✓	
ARTRUSB20PD30X4	adorne	20A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	30W (per port) 5V, 9V & 15V Output	✓	
ARUSB30PDX4	adorne		USB only, with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	G, M, W	C, C	30W (per port) 5V, 9V & 15V Output		
R26USBPDX	radiant	15A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	- , BK, DBCC6, GCC6, GRY, I, LA, NICC6, W	C, C	30W (per port) 5V, 9V & 15V Output	✓	
TR20USBPDX	radiant	20A, 125V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light. Residential	- , BK, DBCCV4, G, GRY, I, LA, NI, RED, W	C, C	30W (per port) 5V, 9V & 15V Output	✓	
R26USBAC6X	radiant	15A, 125V	Residential	BK, DBCCV4, G, I, LA, NICCV4, W	A, C	15W (per port) 6A, 5V Output	✓	
R26USBCC6X	radiant	15A, 125V	Residential	BK, DBCCV4, G, I, LA, NICCV4, W	C, C	15W (per port) 6A, 5V Output	✓	
WRR26USBAC6X	radiant	15A, 125V	Residential	BK, I, LA, W	A, C	15W (per port) 6A, 5V Output	✓	✓
TR15USBAC6X	Pass & Seymour	15A, 125V	Commercial	- , BK, GRY, I, LA, W	A, C	15W (per port) 6A, 5V Output	✓	
TR15HUSBAC6X	Pass & Seymour	15A, 125V	Hospital-Grade. Commercial	- , BK, GRY, I, RED, W	A, C	15W (per port) 6A, 5V Output	✓	
WRTR15USBAC6X	Pass & Seymour	15A, 125V	Commercial	- ,BK, GRY, I, LA, W	A, C	15W (per port) 6A, 5V Output	✓	✓
TR20USBAC6X	radiant	20A, 125V	Commercial, Residential	- , BK, G, GRY, I, LA, NI, RED, W	A, C	15W (per port) 6A, 5V Output	✓	

BASE SKU	LINE / COLLECTION	RATINGS	NOTES/ APPLICATION	COLORS	USB PORT TYPE(S)	CHARGING CAPACITY WATTAGE AMPERAGE/ OUTPUT		TR	WR
TR20USBAC6CDX	Pass & Seymour	20A, 125V	Commercial. Plugload Control	BK, GN, BL, W	A, C	15W (per port)	6A, 5V Output	✓	
TR20HUSBAC6X	Pass & Seymour	20A, 125V	Hospital-Grade. Commercial	- , BK, GRY, I, LA, RED, W	A, C	15W (per port)	6A, 5V Output	✓	
WRTR20USBAC6X	radiant	20A, 125V	Commercial	- , BK, GRY, I, LA, W	A, C	15W (per port)	6A, 5V Output	✓	✓
TR15USBCC6X	Pass & Seymour	15A, 125V	Commercial	- , BK, GRY, I, LA, W	C, C	15W (per port)	6A, 5V Output	✓	
TR15HUSBCC6X	Pass & Seymour	15A, 125V	Hospital-Grade. Commercial	- , BK, GRY, I, RED, W	C, C	15W (per port)	6A, 5V Output	✓	
TR20USBCC6X	radiant	20A, 125V	Commercial, Residential	- , BK, GRY, I, LA, RED, W	C, C	15W (per port)	6A, 5V Output	✓	
TR20HUSBCC6X	Pass & Seymour	20A, 125V	Hospital-Grade. Commercial	- , BK, GRY, I, LA, RED, W	C, C	15W (per port)	6A, 5V Output	✓	
ARTRUSB156ACX4	adorne	15A, 125V	must be used with an adorne 1-Gang+ wall plate. Residential	G, M, W	A, C	15W (per port)	6A, 5V Output	✓	
ARTRUSB206ACX4	adorne	20A, 125V	must be used with an adorne 1-Gang+ wall plate. Residential	G, M, W	A, C	15W (per port)	6A, 5V Output	✓	
ARUSB2AC6X4	adorne		USB only. Residential	G, M, W	A, C	15W (per port)	6A, 5V Output		
ARUSBM4	adorne		USB only. Residential	M	A		2.1A		
1597TRUSBAAX	radiant	15A, 125V	with GFCI. Commercial, Residential	BK, DBC4, G4, GRY, I, LA, NIC4, W	A, A		2A (between both ports)	✓	
2097TRUSBAAX	radiant	20A, 125V	with GFCI. Commercial, Residential	- , BK, GRY, I, LA, RED, W	A, A		2A (between both ports)	✓	
1597TRUSBACX	radiant	15A, 125V	with GFCI. Commercial, Residential	- , BK, GRY, I, LA, W	A, C		2A (between both ports)	✓	
2097TRUSBACX	radiant	20A, 125V	with GFCI. Commercial, Residential	- , BK, DBC4, G, GRY, I, LA, RED, NI, W	A, C		2A (between both ports)	✓	
1597TRUSBCCW	radiant	15A, 125V	with GFCI. Commercial, Residential	W	C, C		2A (between both ports)	✓	
2097TRUSBCCW	radiant	20A, 125V	with GFCI. Commercial, Residential	W	C, C		2A (between both ports)	✓	
1597TRWRUSBACX	radiant	15A, 125V	with GFCI. Commercial, Residential	BK, GRY, I, W	A, C		2A (between both ports)	✓	✓
2097TRWRUSBACX	radiant	20A, 125V	with GFCI. Commercial, Residential	BK, GRY, I, LA, W	A, C		2A (between both ports)	✓	✓
1597TRWRUSBCCW	radiant	15A, 125V	with GFCI. Commercial, Residential	W	C, C		2A (between both ports)	✓	✓
2097TRWRUSBCCX	radiant	20A, 125V	with GFCI. Commercial, Residential	BK, W	C, C		2A (between both ports)	✓	✓
2097HGTRUSBACX	radiant	20A, 125V	Hospital-Grade, with GFCI. Commercial	BK, GRY, I, LA, RED, W	A, C		2A (between both ports)	✓	
R26USBACX	radiant	15A, 125V	Residential	BK, DBCCV4, G, I, LA, NICCV4, W	A, C		3.1A (between both ports)	✓	
RWC826USBXCCV2	radiant	15A, 125V	with Qi Wireless Charging Pad. Residential	BK, I, LA, W	A	5W (Qi wireless charging pad)	3.1A (USB port)	✓	
TM826USBX	radiant	15A, 125V	Residential	BK, GCCV4, I, LA, NICC6,W	A, A		3.1A (between both ports)	✓	

BASE SKU	LINE / COLLECTION	RATINGS	NOTES/ APPLICATION	COLORS	USB PORT TYPE(S)	CHARGING CAPACITY WATTAGE AMPERAGE/ OUTPUT		TR	WR
TM8USB4XCC6	radiant		USB only. Residential	BK, I, LA, NI, W	A, A, A, A		4.2A (across all four ports)		
TR15USBACX	Pass & Seymour	15A, 125V	Commercial	-, BK, GRY, I, LA, W	A, C		3.1A (between both ports)	✓	
TR15HUSBACX	Pass & Seymour	15A, 125V	Hospital-Grade. Commercial	-, BK, GRY, I, RED, W	A, C		3.1A (between both ports)	✓	
TR20USBACX	radiant	20A, 125V	Commercial	-, BK, GRY, I, LA, NI, RED, W	A, C		3.1A (between both ports)	✓	
TR20HUSBACX	Pass & Seymour	20A, 125V	Hospital-Grade. Commercial	-, BK, GRY,I, LA, RED, W	A, C		3.1A (between both ports)	✓	
TR5262USBX	Pass & Seymour	15A, 125V	Fed Spec-Grade. Commercial	-, BK, GRY, I, LA, NI, W	A, A		3.1A (between both ports)	✓	
TR5362USBX	Pass & Seymour	20A, 125V	Fed Spec-Grade. Commercial	-, BK, GRY, I, LA, NI, RED, W	A, A		3.1A (between both ports)	✓	
TR8300HUSBX	Pass & Seymour	20A, 125V	Hospital-Grade. Commercial	-, BK, GRY, I, LA, RED, W	A, A		3.1A (between both ports)	✓	
TM83USBWCCV4	Pass & Seymour	15A, 125V	Switch combination device. Residential	W	A, A		2.1A (between both ports)	✓	
PTTR15ACUSBX	PlugTail	15A, 125V	Commercial	-, BK, GRY, I, LA, RED, W	A, C		3.1A (between both ports)	✓	
PTTR15HACUSBX	PlugTail	15A, 125V	Hospital-Grade. Commercial	-, BK, GRY, I RED, W	A, C		3.1A (between both ports)	✓	
PTTR20ACUSBX	PlugTail	20A, 125V	Commercial	-, BK, GRY, I, LA, W	A, C		3.1A (between both ports)	✓	
PTTR20HACUSBX	PlugTail	20A, 125V	Hospital-Grade. Commercial	-, BK, GRY, I, LA, RED, W	A, C		3.1A (between both ports)	✓	









the radiant[®] collection

the adorne[®] collection

PAIR WITH SCREWLESS WALL PLATES in the corresponding radiant[®] and adorne[®] Collections, which feature subplate screws for proper plate placement even over ragged openings.



legrand.us/usb



youtube.com/legrand



instagram.com/legrandna



facebook.com/LegrandNA